

21. Delete Claims 4-12 and 15.

REMARKS – General

In this rewritten application, Applicants have changed the title so as to properly place emphasis on the general linear controllers, which include PID controllers as special cases.

Applicants have rewritten the specification in a way required by the first and second paragraphs of 35 USC § 112, so as to overcome the technical rejections of the Office Action ("OA").

Applicants have deleted Claims 4-12, and 15. Claim 13 is replaced by new Claims 16 and 18. Claim 14 is replaced by new Claims 17 and 19. Claims 1 and 2 are combined to form new Claim 20. Claims 1 and 3 are combined to form new Claim 21.

Response to OA Rejections under the first paragraph of 35 USC 112

In response to OA rejections in paragraph 2, page 2, Applicants have rewritten the specification in a way required by the first paragraph of 35 USC 112.

In the new specification formula for calculating the polynomials A and B in the open-loop transfer function $A^{-1}B$ and formula for calculating the closed-loop transfer function Q are all explicitly and clearly given. From this given closed-loop transfer function Q, it is easy for any person with basic training in control theory to find the characteristic polynomial $b(z)$ and then find the poles of Q by finding the roots of the characteristic equation $b(z)=0$. In the well-known commercial software product "Control System Toolbox" from The MathWorks Inc., the function "pole" can directly find the poles of a known transfer function such as the

Q formulated in this invention. Another function "roots" in MATLAB from the MathWorks Inc can also find all roots of a known polynomial such as $b(z)$ in this invention. The function "minimax" or "fminimax" in the "Optimization Toolbox" from The MathWorks Inc. provides direct solution to the minimax or constrained minimax problem formulated in this invention. MATLAB and the related Toolboxes mentioned above are very well known among students and engineers of control engineering trained in a University. It is therefore unnecessary, for example, to present the mathematical theories and algorithms on how to find the roots of a polynomial and how to solve the minimax problem. These well-known mathematical tools can be considered known prior art and therefore do not need to be presented in this invention.

Therefore, following the rewritten specification, any person of ordinary skill in the art should now be able to make use of the invention without any difficulty.

For the above reasons, Applicants respectfully request further examination of Claims 16 and 18, which are rewritten forms of Claim 13, Claim 15 is deleted so as to focus this invention on discrete time controller design and tuning.

Response to OA Rejections under the second paragraph of 35 USC 112

Since Claims 4-12 and 15 are deleted, Applicants will only respond to OA rejections in paragraphs 7 and 8.

In response to OA rejection reasons in paragraph 7, page 3, the omitted element, i.e., the structure of the linear controller:

$$Du_k = E_r k - Cy_k$$

with detailed description is now added to both the rewritten specification and the new Claim 16 and, therefore, new Claims 17-21 since they are claims dependent on Claim 16.

In response to OA rejection reasons in paragraph 8, page 3, the specification is rewritten, Claim 13 is written as new Claims 16 and 18, and Claim 14 is rewritten as Claims 17 and 19.

Now both the rewritten specification and new Claims 16-19 clearly and positively described the structure of the linear controller. In the rewritten specification and the new Claims 16-19, every part of the whole closed-loop control system and the connection between the different parts of the whole system are now clearly and positively described.

Therefore, Applicants respectfully request further examination of the rewritten Claims 16-19, which are new forms of Claims 13 and 14.

Response to OA Claim Rejections under the second paragraph of 35 USC 102 (b)

For Claim 1, Applicants do not dispute that all MIMO (Multiple-Input Multiple-Output) PID controllers have Multiple inputs and Multiple outputs. This is true in Mori et al reference and Claim 1. But MIMO PID controllers differ from each other mainly in the different PID equations they use.

The PID equation used in Claim 1 is:

" $CO(k) = CO(k-1) + K1 * SP(k) * T + K1 * a(k,1) + K2 * a(k,2) + \dots + Kj * a(k,j)$, where k is the discrete time, T is the sampling period, j is a positive integer, $K1, K2, \dots, Kj$ are m by n PID parameters, $a(k,1) = [-PV(k)] * T$, and $a(k,j) = [a(k,j-1) - a(k-1,j-1)]/T$ for $j > \text{or} = 2$ "

This PID equation has j terms and is in discrete time format, where j is an integer. Applicants have read every paragraph of the Mori et al reference and haven't found any evidence to show that Mori et al also uses this PID equation or similar PID equation. On the contrary, Mori et al column 2 lines 51-55 "digital PID parameters K_c , T_i and T_d " shows their PID is the traditional PID controller with three terms, while PID equation in Claim 1 has j terms and $j \geq 2$. Mori et al reference column 2 lines 29-32, lines 36-40, column 3-4 lines 62-74 and figure 3 all show that the PID controller in Mori et al reference is a PID controller with multiple inputs and multiple outputs. It does not show that the Mori et al reference uses the same PID equation as in Claim 1.

Therefore, Applicants respectfully request withdrawal of the rejection of Claim 1 under 35 USC 102 (b), and respectfully request further examination of new Claim 20, which is a rewritten form of the combination of Claims 1 and 2.

For Claim 2, Applicants submit that the Mori et al reference column 5 lines 66-67 "... PID control parameters are obtained from the S transfer function ..." and column 8 lines 9-13 "... PID parameters ... are tuned in accordance with the identified transfer function $G_p(s)$ " and column 8 lines 60-62 "The S -transfer function of the control system between the set-point signal $R(s)$ and the process output $Y(s)$ is matched with the reference model $M(s)$ " all say that Mori et al use the continuous-time transfer function, i.e., the Laplace S -transfer function, to find the tuning parameters, while Claim 2 uses the discrete time transfer function, i.e., the Z -transfer function, to find the tuning parameters. The two are totally different. Further, Applicants have read every paragraph of the Mori et al reference and haven't found any evidence to show that the Mori et al reference uses the tuning method as described in Claim 2. So the OA erred in saying that (see page 5 lines 15-18) "As per claim2, the Mori et al reference discloses the m by n PID parameters K_1 , K_2 , ..., and K_j are obtained by using an optimization algorithm which minimizes the largest modulus of all poles of the discrete time closed loop transfer function from said SP to said PV." Hence, the

OA erred in saying (see page 4, lines 12-13) "Claims 1, 2, 4, 5, 7, 8, 10, 11 and 13 are rejected under 35 USC 102(b) as being anticipated by USPN 4,563,734 Mori et al."

Therefore, Applicants respectfully request withdrawal of the rejection of Claim 2 under 35 USC 102 (b), and respectfully request further examination of new Claim 20, which is a rewritten form of the combination of Claims 1 and 2.

For Claim 13, since the rejection of Claim 2 is incorporated in rejection of Claim 13, for the same reasons as stated above, Applicants respectfully request withdrawal of the rejection of Claim 13 under 35 USC 102 (b), and respectfully request further examination of new Claims 16 and 18, which are rewritten forms of Claim 13.

Response to OA Rejections under 35 USC 103 (a)

For Claims 1 and 2, Applicants submit the following two facts

Fact 1: The following findings by the OA show that none of the references provided by the OA disclosed or suggested, whether expressly or impliedly, the PID equation and the tuning method in this invention, or anything close to the present invention:

For Claim 1:

- (1) (Page 9 of the OA action) The Katebi et al reference page 1457 Introduction Section: "...variables of a given sub-process.... Local controller set points.... System variables at desired values ... Boilers have multiple numbers of inputs and outputs" mainly states that boilers have multiple numbers of inputs and outputs. No connection with the tuning method or PID equation in this invention at all.
- (2) (Page 9 of the OA action) The Katebi et al reference page 1459: "Optimal Control Based Methods: Wang and Wu [9] have proposed a multi-objective optimization

method to calculate the parameters of the PID controller... an optimal procedure for selecting the PID parameters of a multiloop controller. This method is based on centralized LQ problem." The LQ method has no connection with the tuning method in this invention at all.

- (3) (Page 9 of the OA action) The Katebi et al reference page 1460: "Non Parametric Methods: "... controlled variables are measurable, the classes of input disturbances and reference inputs are known, and the system is controllable by a diagonal PID controller." This is just a trivial description of use of multivariable PID controllers. No connection with the tuning method or PID equation in this invention at all.
- (4) (Page 9 of the OA action) The Katebi et al reference page 1460: "Davison Method: "... tuning matrices for a multivariable controller ... closed-loop system ..." The Davison Tuning Method described here (see the tuning equation (13) in this reference) is totally different from that of this invention.
- (5) (Page 9 of the OA action) The Katebi et al reference page 1460: "Generalized Ziegler-Nichols Method: "... proposed an extension of SISO ... to MIMO system." The Ziegler-Nichols tuning method is also totally different from that in this invention.
- (6) (Page 9 of the OA action) OA agrees that "The M.R. Katebi et al reference does not expressly disclose the PID control equation of the present invention" (see OA action page 9 lines 15-16)

For Claim 2:

- (7) (Page 11 of the OA action) The Toru Yamamoto et al reference page 126: "The tuning of the control parameters in PID control laws ... a self-tuning PID control algorithm based on the generalized minimum variance control scheme ..." This method is trying to minimize the performance index as in a generalized minimum variance control scheme, which is also totally different from the present invention.
- (8) (Page 11 of the OA action) The Toru Yamamoto et al reference page 126: "PID tuning... closed-loop input-output relationship..." This is a trivial description of the

authors' derivation procedure, which has no connection with the present invention.

- (9) (Page 11 of the OA action) OA agrees that "the M.R. Katebi et al reference does not expressly disclose the m by n PID parameters K_1, K_2, \dots, K_j are obtained by using an optimization algorithm which minimizes the largest modulus of all poles of the discrete time closed loop transfer function from said SP to said PV." (see OA action page 11, lines 8-11)
- (10) Neither the Katebi et al reference nor the Yamamoto et al reference nor any other references provided by the OA suggested or implied the tuning method as disclosed in Claim 2, or would motivate any person skilled in the art to develop the tuning method as in Claim 2.

Fact 2: Ever since early 1940s when PID controllers gained wide acceptance in industry, a huge number of researchers and engineers have been involved in the research and development of PID controllers and their tuning. However, until today no one has published this very successful PID tuning method as presented in the present invention (Claim 2) or mentioned the structure of the PID in Claim 1. This fact clearly shows that neither Claim 1 nor Claim 2 is obvious to a person of ordinary skill in the art because otherwise this very successful tuning method would have been discovered for a long time. Therefore, OA erred in saying (see page 8 lines 3-4) "Claims 1, 4, 7, and 10 are rejected under 35 USC 103 (a) as being unpatentable over M. R. Katebi et al..." and (see page 11, lines 1-7) "Claims 2, 5, 8, 11 and 13 are rejected under 35 USC 103 (a) as being unpatentable over M.R. Katebi et al... in view of Toru Yamamoto et al..."

From the above **Fact 1** and **Fact 2**, Applicants respectfully request the withdrawal of rejections of Claim 1 and especially Claim 2 under 35 USC 103 (a), and respectfully request further examination of new Claim 20, which is a combination of Claim 1 and Claim 2.

Since the OA rejection of Claim 13 is incorporated with Claim 2 (see page 12, lines 14-16),

the same reasons as stated above apply to Claim 13. Therefore, Applicants respectfully request the withdrawal of rejections of Claim 13 under 35 USC 103 (a), and respectfully request further examination of new Claims 16 and 18, which are the rewritten forms of Claim 13.

For Claim 3, please note the following facts:

- (1) The OA agrees that the modified teachings of Katebi et al and Yamamoto et al do not expressly disclose the tuning method as described in Claim 3 (see OA action page 13, lines 10-15).
- (2) Indeed neither the Katebi et al reference nor the Yamamoto et al reference suggests in any way the tuning method in Claim 3 or will motivate any person skilled in the art to come up with the tuning method in Claim 3, because the tuning methods in these references are totally different from Claim 3 or any other Claims of this invention (for example, the objective functions are totally different.).
- (3) The tuning method proposed in the G. Celentano et al. reference "... minimize the greatest closed loop time constant imposing constraints not only on controller parameters but also on overshoot and control signal amplitude ..." is totally different from Claim 3 since the objective function in the Celentano et al reference is totally different from that in Claim 3. Neither does the Celentano et al reference suggest Claim 3 in any way.
- (4) The tuning method in Claim 3 has been very successful. However, although a huge number of researchers and engineers have been studying the PID controller tuning problem ever since the early 1940s, no one else proposed the tuning method as described in Claim 3, even until today. Therefore, Claim 3 is not obvious to a person of ordinary in the art.

Therefore, OA erred in saying (see page 13, lines 1-9) "Claims 3, 6, 9, 14 and 15 are

rejected under 35 USC 103 (a) as being unpatentable over M.R.Katebi et al... in view of Toru Yamamoto et al...."

Therefore, Applicants respectively request OA withdrawal of rejection of Claim 3 under 35 USC 103 (a), and respectfully request further examination of Claim 21, which is the rewritten form of Claim 3.

Since the OA rejection of Claim 14 is incorporated with rejection of Claim 3 (see page 15, lines 1-3), the same reasons as stated above apply to Claim 14. Therefore, Applicants respectfully request the withdrawal of rejections of Claim 14 under 35 USC 103 (a), and respectfully request further examination of Claims 17 and 19, which are rewritten forms of Claim 14.

Applicants have also read the references provided by OA, as listed on pages 16-17. Applicants find that

- (1) None of these references discloses anything that is similar to any claim in this invention, whether expressly or impliedly,
- (2) USPN 6,510,353 B1 to Gudaz et al discloses a tuning method by use of a robustness map in a simulation program. USPN 5,680,304 to Wang et al has nothing to do with PID controller tuning. All other references listed on pages 16-17 deal with PID tuning problem in the S-transfer function domain, which are different from the present invention since this invention solves the linear controller tuning problem in the discrete time domain.

Conclusion

For all of the above reasons, Applicants respectfully submit that the specification and claims

are now in proper form and that the claims all define patentably over the prior art. Therefore they submit that this application is now in condition for allowance.

Applicants sincerely thank the helpful criticisms of the Examiner. Those criticisms, especially those given in paragraphs 2-8 of the Office Action, directly motivated the Applicants to rewrite the whole application.


Conditional Request For Constructive Assistance

Applicants have rewritten the specification and claims of this application so that they are proper, definite, and define novel structure which is also unobvious. If for any reason this application is not believed to be in full condition for allowance, Applicants respectfully request the constructive assistance and suggestions of the Examiner pursuant to M.P.E. § 2173.02 and § 707.07(j) in order that the undersigned can place this application in allowable condition as soon as possible and without the need for further proceedings.

Very respectfully,



Danyang Liu
#108, 10615-111 Street
Edmonton, Alberta T5H 3G1
Canada
Telephone: (780) 424-5074



Wuyang Liu
P.O. Box 112
316, San Jing Lu
Nanchang, P. R. China